

# THE VILLAGE NEWS

www.elkmound.org

## Inside this Issue:

President's Corner June Thrift Sales Drug Take Back Results Solid Waste Info—Butane Lighters	1
Board Minutes March 20th: <ul style="list-style-type: none"> <li>Minutes/Checks/Permits Reports</li> <li>Reports from Officials</li> <li>Baker Tilly Financial Report</li> <li>Communications: Defibrillator for Park Grant</li> <li>Repeal Ordinance 11-2-5</li> <li>Use of American Rescue Plan Funds for Street Project</li> <li>Job Share Agreement</li> <li>Police COPS Grant</li> </ul>	2-3
Board Minutes April 3rd: <ul style="list-style-type: none"> <li>Autosampler for Water</li> <li>Hydrant Connection Issue</li> <li>New Owners for The Junction</li> <li>Board of Review 5-10-2023</li> <li>Display of Historical Items</li> </ul> Library Hours Community Center Available for Rent	4
Thrift Sale Sign-up Form	5
Consumer Confidence Report	6-10
Warning Siren Park Rental Information	11
Calendar of Events	12

## Spring Hydrant Flushing is May 8th through the 12th.

Low pressure and discolored water may occur. If you experience these or other issues, please contact the Public Works Department at 715-556-4566.



Thank you to everyone who participated in the drug takeback event on April 21st. As a community we collected 45 pounds of prescription drugs and other medications for proper disposal!

## June Thrift Sales

Elk Mound Community Thrift Sales are scheduled for Friday, June 2nd & Saturday, June 3rd. Registration is through the Elk Mound Lions Club, see registration form on page 6.

## Solid Waste Site Information Butane Lighters / Torches

There is typically a small amount of butane left in the lighter or torch which can be dangerous if disposed in regular trash. Please keep these items separate from your regular trash and give to the attendants for proper (and safe) disposal.

**Thank You!**

## PRESIDENT'S CORNER

By Terry Stamm

Thankfully, winter has passed and we can all look forward to spring. I encourage all residents to revisit the fee schedule handout on our website under the solid waste & recycling tab. This has important information on what is considered trash and what can be recycled.

We as a community need to improve our percentage of recyclables vs. trash. Recycling is a critical component to maintain our environment, the more items we can recycle the less trash is being buried in our landfills.

One idea that has been raised is to require clear bags for trash disposal. This will allow our attendants to clearly identify if there are only trash items in the bags. This concept is currently being investigated and may be part of future requirements at our Elk Mound site.

A clean sweep event will be held June 6th, 2023 from 2pm to 6pm at the Colfax Fairgrounds. Please bring your hazardous chemicals, pesticides and oil-based paint to this event. A solid waste permit will be required.

Terry Stamm

## BOARD MINUTES MARCH 20, 2023

The March 20, 2023, meeting of the Board of Trustees for the Village of Elk Mound was called to order by Village President Pro-Tem Terry Stamm at 6:00 p.m. in the Municipal Building.

Karin Wolf, Clerk-Treasurer, verified that proper notice of the meeting had been posted. Roll call showed Cynthia Abraham, Bob Bachman, Tim Benjamin, Jesse Jenson, Pat Lien, and Terry Stamm present. Greg Kipp was absent.

### **APPROVAL OF MINUTES**

Abraham/Jenson moved and seconded a motion to approve the Village Board Minutes of February 20, 2023 and March 6, 2023. Motion carried.

**CITIZEN'S FORUM – (PUBLIC INPUT):** No one was registered for Citizen's Forum.

### **PUBLIC APPEARANCE**

Kimberly Shult of Baker Tilly US, LLP, presented the Village Board with a 2022 Financial Statement Highlights report.

### **APPROVAL OF GENERAL FUND AND WATER/SEWER UTILITY VOUCHERS**

Jenson/Bachman moved and seconded a motion to approve the combined checks 32227 - 32272 and direct deposits V3375 - V3395 for a total of \$369,884.36. Motion carried.

### **APPROVAL OF TID VOUCHERS**

Bachman/Abraham moved and seconded a motion to approve TID check 1010 in the amount of \$1,500.00. Motion carried.

### **PERMITS – BUILDING; WATER/SEWER APPLICATIONS FOR SERVICE/TAP PERMITS**

The following permits were issued: Erv Smith for an HVAC permit for 229 Independence Drive and Christine Klein, N204 Holly Avenue, for a 2023 chicken permit.

### **REPORTS BY OFFICIALS:**

#### **Water/Sewer Report**

The Water/Sewer Report was presented by Mark Levra, Director of Public Works. The report is on file in the Director of Public Works office.

#### **Director of Public Works Report**

The Director of Public Works Report was presented by Mark Levra, Director of Public Works. The report is on file in the Director of Public Works office.

#### **Police Chief Report**

The Police Chief Report was prepared by Police Chief Chad Weinberger. The report is on file in the Village Clerk-Treasurer's office.

### **Standing Committee Reports:**

#### **Public Works & Streets**

Terry Stamm reported that the Public Works & Streets Committee did meet and the item would be discussed further on the agenda.

**Public Safety:** Tim Benjamin reported that the Public Safety Committee did not meet.

**Property & Finance:** Cynthia Abraham reported that the Property & Finance Committee did not meet.

**Employee Relations:** Jesse Jenson reported that the Employee Relations Committee did not meet.

### **Special Committee Reports:**

**Plan Commission:** Terry Stamm reported that the Plan Commission did not meet.

### **Report from Fire Board Representative**

The report provided by Greg Kipp showed that there were four runs in February. The new spreaders have finally arrived.

The chili feed was a success. It raised \$1,600 and the department recruited two new members. There are also two qualified personnel to staff the ambulance.

Continued on Page 3

## BOARD MINUTES MARCH 20TH, CONTINUED

The Fire Department will now be doing their own inspections instead of outsourcing them.

### **Report from Elk Mound/Colfax Solid Waste & Recycling**

Terry Stamm reported that he, along with the clerk/treasurer and office assistant, had reviewed the Village website Solid Waste and Recycling section to ensure that it contained current and accurate information. Both RU sites have been open during heavy snow and ice events due to assistance from the Colfax and Elk Mound Public Works Departments and the site attendants. Both sites have also experienced compactor maintenance issues. Currently, all machines appear to be working. The unit has tentatively scheduled a meeting of the nine participating municipalities for April 25, 2023.

### **Colfax Rescue Squad Monthly Report**

The Colfax Rescue Squad Monthly Report from Don Knutson was reviewed. This is available in the Village Clerk-Treasurer's Office.

### **Community Center/Library Report**

Terry Stamm reported that the Community Center/Library Board did not meet but is scheduled to meet on March 27<sup>th</sup>.

### **Communications & Miscellaneous Business as Permitted by Law**

Karin Wolf reported that during CPR refresher training, there was discussion about the location of Automated External Defibrillators (AED's) in the Village. Don Knutson recommended that an AED be placed at the Village Park. Office Assistant Julie Conlin found the price of an AED to be approximately \$1,898. She is going to apply for a grant through Dunn Energy Cooperative's Operation Round Up program. The deadline to apply for this quarter's review is March 31 and Julie anticipates that it will take less than an hour of her time to complete the application.

### **Unfinished Business: Discussion/Action Removal of Ordinance Section 11-2-5, Loitering and Unlawful Assemblies Prohibited**

Benjamin/Abraham moved and seconded a motion to repeal Ordinance Section 11-2-5, Loitering and Unlawful Assemblies Prohibited. Motion carried.

### **New Business: Discussion/Action Use of Local Road Improvement Grant and American Rescue Plan Act funds for possible street projects**

Abraham/Lien moved and seconded to utilize the Local Roads Improvement Program Grant and the American Rescue Plan Act funds to fund the 2023 Street Project/Maintenance Proposal as presented with an estimated cost of \$122,500. The proposal includes the pulverizing and repaving of Lincoln Street from Holly Avenue to Ivy Avenue, South Fir Avenue from Menomonie Street to Taylor Street, and Taylor Street from South Fir Avenue to Garland Street. The proposal also includes the sealcoating and line painting of University Street. Motion carried.

### **Discussion/Action Approval of Intergovernmental Agreement – Job Share Program between the Village of Elk Mound and Village of Boyceville Police Departments**

Benjamin/Abraham moved and seconded to approve the Intergovernmental Agreement – Job Share Program between the Village of Elk Mound and Village of Boyceville Police Departments as presented. Motion carried.

### **Discussion/Action Initial Approval for the Police Department's application for the Fiscal Year 2023 COPS Hiring Program**

Benjamin/Jenson moved and seconded a motion to approve the Police Department's application for the Fiscal Year 2023 COPS Hiring Program. Motion carried.

### **Adjourn**

Jenson/Benjamin moved and seconded a motion to adjourn the meeting at 7:20 p.m. Motion carried.

\_\_\_\_\_  
Karin Wolf

Village of Elk Mound Clerk-Treasurer

\*\*\*

**Board Minutes April 3rd, 2023**

The April 3, 2023 Village Board Meeting was called to order by Greg Kipp, Village President, at 6:00 p.m. in the Municipal Building.

Karin Wolf, Clerk-Treasurer, verified that proper notice of the meeting had been posted. Roll call showed Cynthia Abraham, Tim Benjamin, Jesse Jenson, Greg Kipp, Pat Lien, and Terry Stamm present. Bob Bachman was absent.

**Citizen’s Forum:** No one was registered for Citizen’s Forum.

**Public Appearance:** There was no Public Appearance.

**Communications & Miscellaneous Business as Permitted by Law:**

Director of Public Works Mark Levra reported that he had applied for a free autosampler and flow meter through the Water Environmental Federation. Our utility was selected to receive the free items, which are valued at approximately \$15,000.

President Greg Kipp reported that the connections for the hydrants in Settlers Ridge are the incorrect size. They will need to be replaced and contact will be made with Settlers Ridge to address the cost of the replacements.

Terry Stamm mentioned that The Junction is currently closed. New owners will be opening the restaurant as Grub Fusion Kitchen around May 1.

**Unfinished Business:** There was no unfinished business.

**New Business:**

**Discussion/Action Board Member to serve on the Board of Review to be held May 10, 2023, from 10:00 a.m. to 12:00 p.m.**

This was tabled until the April 17 meeting.

**Discussion/Action Storage and Display of Elk Mound Historical Items**

Terry Stamm showed the Village Board some of the historical items that will be on display. He also shared the plan to display items at both the Village Hall and the library to conserve space in both buildings. No action taken.

**Adjourn**

Jenson/Benjamin moved and seconded a motion to adjourn the meeting at 6:16 p.m. Motion carried.

\_\_\_\_\_  
Karin Wolf  
Village of Elk Mound Clerk/Treasurer

**Elk Mound Community Library Hours:**

Monday 2pm to 6pm  
Wednesday 2pm to 6pm  
Friday 2pm to 6pm

Ask Library Staff about Elk Mound area historic information; now available for viewing on the Library computers!

**ELK MOUND  
COMMUNITY CENTER  
IS AVAILABLE FOR RENT**

Plan your next meeting, class or family event!  
The community center is available for rent.  
Check the calendar of availability online at [www.elkmound.org](http://www.elkmound.org) and click on calendars, community center reservations will show in green. The community center will accommodate up to 45 people.

Call 715-879-5011 for availability or visit  
[www.elkmound.org / calendar](http://www.elkmound.org/calendar).

\*\*\*

# ELK MOUND COMMUNITY THRIFT SALE



**June 2-3, 2023**  
Friday 8a-5p / Saturday 8a-3p

## MAP REGISTRATION FORM

To place your ad and mark your address on the maps, please make sure we receive your registration form **no later than Friday, May 26, 2023.**

**Cost is \$10.**

Maps will be distributed free to the public during sale hours at the Elk Mound Community Center.

*Please provide your name and phone number in case we have questions regarding your ad. This information will **NOT** be included on the map.*

Your Name \_\_\_\_\_ Phone \_\_\_\_\_

### INFORMATION FOR MAP

**STREET ADDRESS:** \_\_\_\_\_

**AD INFORMATION:** *(please limit your Ad to 50 words)*

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Please make checks payable to: **Elk Mound Area Lions**

Mail completed forms/checks to: Brenda Johnson  
N6485 906<sup>th</sup> St  
Elk Mound WI 54739

Forms can also be emailed to: [ElkMoundLions@gmail.com](mailto:ElkMoundLions@gmail.com)

*Any questions, please feel free to contact:*

Brenda Johnson  
715-879-5162  
Bruce Knutson  
715-704-0817

# 2022 Consumer Confidence Report Data

## ELK MOUND WATERWORKS, PWS ID: 61702641

**Este informe contiene información importante acerca de su agua potable. Haga que alguien lo traduzca para usted, o hable con alguien que lo entienda.**

**Dlaim ntawv tshaabzu nuav muaj lug tseemceeb heev nyob rua huv kws has txug cov dlej mej haus. Kuas ib tug paab txhais rua koj, los nrug ib tug kws paub lug thaam.**

### Water System Information

If you would like to know more about the information contained in this report, please contact Mark D. Levra at (715) 556-4566.

### Opportunity for input on decisions affecting your water quality

Board meetings are held the first and third Monday of each month at 6:00 p.m. at the Elk Mound Village Hall, E206 Menomonie Street, Elk Mound, WI 54739.

### Opportunity for input on decisions affecting your water quality

Board meetings are held the first and third Monday of each month at 6:00 p.m. at the Elk Mound Village Hall, E206 Menomonie Street, Elk Mound, WI 54739.

### Health Information

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's safe drinking water hotline (800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune systems disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbial contaminants are available from the Environmental Protection Agency's safe drinking water hotline (800-426-4791).

### Source(s) of Water

Source ID	Source	Depth (in feet)	Status
1	Groundwater	280	Active
2	Groundwater	352	Active

To obtain a summary of the source water assessment please contact Mark D. Levra at (715) 556-4566.

## Educational Information

The sources of drinking water, both tap water and bottled water, include rivers, lakes, streams, ponds, reservoirs, springs and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife.
- Inorganic contaminants, such as salts and metals, which can be naturally- occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining or farming.
- Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff and septic systems.
- Radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water, which shall provide the same protection for public health.

## Definitions

Term	Definition
AL	Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.
HA and HAL	HA: Health Advisory. An estimate of acceptable drinking water levels for a chemical substance based on health effects information. HAL: Health Advisory Level is a concentration of a contaminant which, if exceeded, poses a health risk and may require a system to post a public notice. Health Advisories are determined by US EPA.
Level 1 Assessment	A Level 1 assessment is a study of the water system to identify potential problems and determine, if possible, why total coliform bacteria have been found in our water system.
Level 2 Assessment	A Level 2 assessment is a very detailed study of the water system to identify potential problems and determine, if possible, why an E. coli MCL violation has occurred or why total coliform bacteria have been found in our water system, or both, on multiple occasions.
MCL	Maximum Contaminant Level: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.
MCLG	Maximum Contaminant Level Goal: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Term	Definition
pCi/l	picocuries per liter (a measure of radioactivity)
ppm	parts per million, or milligrams per liter (mg/l)
ppb	parts per billion, or micrograms per liter (ug/l)
ppt	parts per trillion, or nanograms per liter
ppq	parts per quadrillion, or picograms per liter
SMCL	Secondary drinking water standards or Secondary Maximum Contaminant Levels for contaminants that affect taste, odor, or appearance of the drinking water. The SMCLs do not represent health standards.

## Detected Contaminants

Your water was tested for many contaminants last year. We are allowed to monitor for some contaminants less frequently than once a year. The following tables list only those contaminants which were detected in your water. If a contaminant was detected last year, it will appear in the following tables without a sample date. If the contaminant was not monitored last year, but was detected within the last 5 years, it will appear in the tables below along with the sample date.

### Disinfection Byproducts

Contaminant (units)	Site	MCL	MCLG	Level Found	Range	Sample Date (if prior to 2022)	Violation	Typical Source of Contaminant
HAA5 (ppb)	DBP1	60	60	2	2		No	By-product of drinking water chlorination
TTHM (ppb)	DBP1	80	0	6.5	6.5		No	By-product of drinking water chlorination

### Inorganic Contaminants

Contaminant (units)	Site	MCL	MCLG	Level Found	Range	Sample Date (if prior to 2022)	Violation	Typical Source of Contaminant
ARSENIC (ppb)		10	n/a	1	0 - 1	7/7/2020	No	Erosion of natural deposits; Runoff from orchards; Runoff from glass and electronics production wastes
BARIUM (ppm)		2	2	0.003	0.002 - 0.003	7/7/2020	No	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits



**Inorganic Contaminants**

Contaminant (units)	Site	MCL	MCLG	Level Found	Range	Sample Date (if prior to 2022)	Violation	Typical Source of Contaminant
FLUORIDE (ppm)		4	4	0.7	0.6 - 0.7	7/7/2020	No	Erosion of natural deposits; Water additive which promotes strong teeth; Discharge from fertilizer and aluminum factories
NICKEL (ppb)		100		2.3000	2.1000 - 2.3000	7/7/2020	No	Nickel occurs naturally in soils, ground water and surface waters and is often used in electroplating, stainless steel and alloy products.
SODIUM (ppm)		n/a	n/a	8.30	7.80 - 8.30	7/7/2020	No	n/a

Contaminant (units)	Action Level	MCLG	90th Percentile Level Found	# of Results	Sample Date (if prior to 2022)	Violation	Typical Source of Contaminant
COPPER (ppm)	AL=1.3	1.3	0.0450	0 of 10 results were above the action level.	7/8/2020	No	Corrosion of household plumbing systems; Erosion of natural deposits; Leaching from wood preservatives
LEAD (ppb)	AL=15	0	0.18	0 of 10 results were above the action level.	7/8/2020	No	Corrosion of household plumbing systems; Erosion of natural deposits

**Radioactive Contaminants**

Contaminant (units)	Site	MCL	MCLG	Level Found	Range	Sample Date (if prior to 2022)	Violation	Typical Source of Contaminant
GROSS ALPHA, EXCL. R & U (pCi/l)		15	0	2.5	1.6 - 2.5	7/7/2020	No	Erosion of natural deposits
RADIUM, (226 + 228) (pCi/l)		5	0	1.5	0.8 - 1.5	7/7/2020	No	Erosion of natural deposits

## Contaminants with a Public Health Groundwater Standard, Health Advisory Level, or a Secondary Maximum Contaminant Level

The following table lists contaminants which were detected in your water and that have either a Public Health Groundwater Standard (PHGS), Health Advisory Level (HAL), or a Secondary Maximum Contaminant Level (SMCL), or both. There are no violations for detections of contaminants that exceed Health Advisory Levels, Public Health Groundwater Standards or Secondary Maximum Contaminant Levels. Secondary Maximum Contaminant Levels are levels that do not present health concerns but may pose aesthetic problems such as objectionable taste, odor, or color. Public Health Groundwater Standards and Health Advisory Levels are levels at which concentrations of the contaminant present a health risk.

Contaminant (units)	Site	SMCL (ppm)	PHGS or HAL (ppm)	Level Found	Range	Sample Date (if prior to 2022)	Typical Source of Contaminant
CHLORIDE (ppm)		250		3.00	3.00	5/14/2020	Runoff/leaching from natural deposits, road salt, water softeners
IRON (ppm)		0.3		0.18	0.18	5/14/2020	Runoff/leaching from natural deposits, industrial wastes
MANGANESE (ppm)		0.05	0.3	0.07	0.07	5/14/2020	Leaching from natural deposits
SULFATE (ppm)		250		20.00	20.00	5/14/2020	Runoff/leaching from natural deposits, industrial wastes

## Health effects for any contaminants with MCL violations/Action Level Exceedances/SMCL exceedances/PHGS or HAL exceedances

Contaminant	Health Effects
MANGANESE	Waters containing manganese in quantities above the SMCL are not hazardous to health but may be objectionable for taste, odor, or color.

### Additional Health Information

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Elk Mound Waterworks is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at [www.epa.gov/safewater/lead](http://www.epa.gov/safewater/lead).



## WARNING SIREN



When severe weather occurs, you will hear a steady tone for three minutes. Upon early warning, volunteers will attempt to set the Warning Siren to a STEADY TONE. This warning is to inform you to seek information from TV or RADIO. For residents that do not have adequate shelter, the Lutheran Church, 207 University Street, has offered the use of the church basement. Every effort will be made to get the rear (south) doors opened on alarm. **YOU SHOULD MAKE ALTERNATE PLANS IN THE EVENT THE CHURCH IS NOT OPEN!!**

Having a plan in place will minimize confusion when time is of the essence. Preplanning to bring flashlights, possibly a blanket, as well as making other arrangements for pets will make for quick access to shelter. (Please do not bring pets to the Church).

***This plan will be in effect immediately and until further notice.***

“Weather Alert” radios are available for purchase at local electronics or major department stores. These units can be used in addition to the local warning siren for early severe storm alerts.

According to Dunn County Emergency Management, the siren is intended to alert people outdoors that severe weather conditions are nearby. The sounding of these sirens is your cue to access local detailed weather information from radio or television and discover if there is an need to take further action. More information can be found on their site: [www.dunn.wi.co.us](http://www.dunn.wi.co.us), click on Departments, Emergency Management & Outdoor Warning Sirens.

Dunn County Communications Center is responsible for testing the emergency siren system. The Emergency Warning Siren is tested the first Monday of each month at 10:00 a.m. Standard emergency warning siren electro-mechanical tones are as follows:

ALERT— Steady Tone, 3 minutes  
 ATTACK—Wailing Tone, 6 sec. Hi/6 sec. Low, 3 min  
 FIRE— Wailing Tone, 16 sec. Hi/8 Sec. Low, 4 Cycles  
 GROWL— Short Burst, 2 Sec. Used for testing of siren only.

## VILLAGE PARK RENTAL INFORMATION

The park located at S405 Holly Avenue (Highway H) offers men's and women's restroom facilities, a lighted pavilion with 15 picnic tables, soccer fields, a 9-hole disc golf course, volleyball nets, horse-shoe pits, a basketball court and playground equipment. The park pavilion is a perfect place for food preparation; offering kitchen utilities including stove, refrigerators and chest coolers, 4 grills and a large serving counter.

Check pavilion availability at [www.elkmound.org](http://www.elkmound.org) and click on calendar. Booked dates will show up with Pavilion Reserved.

The Village park is available for rent for \$100.00 per day for Elk Mound Village Residents, and \$150.00 per day for Non-Residents. These fees go toward the cost of continuous park maintenance, along with cleanup and garbage removal for your specific event. Any proceeds from park rentals will go toward park improvements.

Keep in mind there may be other activity on the ball fields as they are rented separately. We have very active baseball & softball youth groups in the area.

The baseball and softball schedules are also available on our website: [www.elkmound.org](http://www.elkmound.org). Click on calendar to see various events. If the pavilion is already reserved it will be noted on the calendar.

Park pavilion and ball field reservations can be made by contacting the clerk's office at 715-879-5011.

\*\*\*

## May 2023

S	U	M	O	N	T	U	E	W	E	D	T	H	F	R	I	S	A	T
		<b>1</b>		<b>2</b>		<b>3</b>		<b>4</b>		<b>5</b>		<b>6</b>						
		<b>Board Meeting 6pm</b>		<b>Pop Up Pantry 11:30am-12:30pm</b>		Solid Waste Site Hours 1pm-5pm				Food Pantry 10-noon		Solid Waste Hours 8am to 3pm						
		Library Open 2pm-6pm		Food Pantry 4-6pm		Library Open 2-6pm				Village Office Closed Library Open 2-6pm								
<b>7</b>		<b>8</b>		<b>9</b>		<b>10</b>		<b>11</b>		<b>12</b>		<b>13</b>						
		Library Open 2pm-6pm		Food Pantry 4-6pm		<b>Fire Board 7pm</b> Solid Waste Site Hours 1pm-5pm				Food Pantry 10-noon		Solid Waste Site Hours 8am to 3pm						
						Library Open 2-6pm				Village Office Closed Library Open 2-6pm								
<b>14</b>		<b>15</b>		<b>16</b>		<b>17</b>		<b>18</b>		<b>19</b>		<b>20</b>						
		<b>Board Meeting 6pm</b>		Food Pantry 4-6pm		Solid Waste Site Hours 1pm-5pm				Food Pantry 10-noon		Solid Waste Site Hours 8am to 3pm						
		Library Open 2pm-6pm				Library Open 2-6pm				Village Office Closed Library Open 2-6pm								
<b>21</b>		<b>22</b>		<b>23</b>		<b>24</b>		<b>25</b>		<b>26</b>		<b>27</b>						
		Library Open 2pm-6pm		Food Pantry 4-6pm		Solid Waste Site Hours 1pm-5pm				Food Pantry 10-noon		Solid Waste Site Hours 8am to 3pm						
						Library Open 2-6pm				Village Office Closed Library Open 2-6pm								
<b>28</b>		<b>29</b>		<b>30</b>		<b>31</b>		Village Office Hours: Mon-Thurs 8:00a.m.—4:30 p.m. Closed noon to 1:00 p.m. each day										
		Library Open 2pm-6pm		Food Pantry 4-6pm		Solid Waste Site Hours 1pm-5pm Library Open 2-6pm												

## June 2023

S	U	M	O	N	T	U	E	W	E	D	T	H	F	R	I	S	A	T
												<b>1</b>		<b>2</b>		<b>3</b>		
														Food Pantry 10-noon		Solid Waste Hours 8am to 3pm		
														Village Office Closed Library Open 2-6pm				
<b>4</b>		<b>5</b>		<b>6</b>		<b>7</b>		<b>8</b>		<b>9</b>		<b>10</b>		<b>11</b>		<b>12</b>		
		<b>Board Meeting 6pm</b>		Food Pantry 4-6pm		Solid Waste Site Hours 1pm-5pm				Food Pantry 10-noon		Solid Waste Site Hours 8am to 3pm						
		Library Open 2pm-6pm				Library Open 2-6pm				Village Office Closed Library Open 2-6pm								
<b>11</b>		<b>12</b>		<b>13</b>		<b>14</b>		<b>15</b>		<b>16</b>		<b>17</b>		<b>18</b>		<b>19</b>		
		Library Open 2pm-6pm		Food Pantry 4-6pm		<b>Fire Board 7pm</b> Solid Waste Site Hours 1pm-5pm				Food Pantry 10-noon		Solid Waste Site Hours 8am to 3pm						
						Library Open 2-6pm				Village Office Closed Library Open 2-6pm								
<b>18</b>		<b>19</b>		<b>20</b>		<b>21</b>		<b>22</b>		<b>23</b>		<b>24</b>		<b>25</b>		<b>26</b>		
		<b>Board Meeting 6pm</b>		Food Pantry 4-6pm		Solid Waste Site Hours 1pm-5pm				Food Pantry 10-noon		Solid Waste Site Hours 8am to 3pm						
		Library Open 2pm-6pm				Library Open 2-6pm				Village Office Closed Library Open 2-6pm								
<b>25</b>		<b>26</b>		<b>27</b>		<b>28</b>		<b>29</b>		<b>30</b>		<b>31</b>						
		Library Open 2pm-6pm		Food Pantry 4-6pm		Solid Waste Site Hours 1pm-5pm				Food Pantry 10-noon		Solid Waste Site Hours 8am to 3pm						
						Library Open 2-6pm				Village Office Closed Library Open 2-6pm								

### COMMUNITY FOOD PANTRY

Community Food Pantry is located at Shepherd of the Hill Lutheran Church, 207 University Street (Entrance from the Parking Lot).

Call 715-879-5115 with any questions.

E-mail: [info@elkound.org](mailto:info@elkound.org)  
Website: [www.elkound.org](http://www.elkound.org)

Phone: 715-879-5011  
Fax: 715-879-5851

PO Box 188  
Elk Mound, WI 54739

VILLAGE OF ELK MOUND